

EPA Naugatuck River Geographic Response Strategy

Naugatuck NR-CT-04

Tactics Legend


- DF** Deflection Booming
- DV** Diversion Booming
- EX** Exclusion Booming
- FO** Free Oil Recovery
- PR** Passive Recovery
- SR** Shoreside Recovery
- S** Staging Area
- Boat Ramp
- Kayak Ramp
- Railroad
- Protected-Water Boom
- Protected-Water Boom (Ebb Tide)
- Snare/ Sorbent Boom

Equipment - All Tactics

Boom(ft)	750
Marine anchors	4
Shore anchors	6
Sorbent Boom(ft)	0
FO Recovery Sys	0
Shore Responders	2
Boat Responders	2
Boats	2

Version

9/20/2022



Tactics Deployment, Responder Safety, and GRS Data Information

Always consider on-scene conditions before deploying GRS tactics. Responder safety should always be the first priority.





Location

Latitude: 41° 29' 26"

Longitude: 73° 3' 8"

State: Connecticut

EPA Naugatuck River Geographic Response Strategy
Naugatuck NR-CT-04

Tactic #	Purpose	Response Equipment	Deployment Resources	Deployment Notes
DV-01a 	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	300 ft protected water boom 1 marine anchor system 2 shoreline anchor system	2 shore responders 1 response boats 1 boat operators	Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust configuration as necessary to reduce entrainment. Set up shoreside recovery. Deploy shoreside anchor first.
		<div></div> Testing Date	<div></div> N Tested	
SR-01a 	Remove spilled oil that has been diverted to a designated recovery site accessible from shore.	2 skimming system 2 storage tank or bladder 2 hoses, pumps, fittings	2 shore responders	Set up shoreside recovery tactic at general location depicted on map.
		<div></div> N/A Testing Date	<div></div> Tested	
DV-01b 	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	400 ft protected water boom 2 marine anchor system 2 shoreline anchor system	2 shore responders 1 response boats 1 boat operators	Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust configuration as necessary to reduce entrainment. Set up shoreside recovery. Deploy shoreside anchor first.
		<div></div> Testing Date	<div></div> N Tested	
EX-02 	Prohibit oil slicks from entering a sensitive area.	50 ft protected water boom 1 marine anchor system 2 shoreline anchor system	2 shore responders 1 response boats 1 boat operators	Deploy boom as depicted to exclude oil from sensitive areas. Anchor every 200-300'. Adjust configuration as necessary to reduce entrainment. Deploy shoreside anchor first. Readjust boom angle as needed to reduce entrainment
		<div></div> Testing Date	<div></div> N Tested	

EPA Naugatuck River Geographic Response Strategy

Naugatuck NR-CT-04

Local contacts

Beacon Falls Fire Department	203-729-1470
Harwinton Fire Department	Contact LCD
Litchfield County Dispatch (LCD)	860-496-0711 (24-hr)
Long Island Soundkeeper	203-787-0646
NW CT Public Safety Comms Center	203-709-4400
Naugatuck Fire Department	203-720-7083
Seymour Fire Department	203-888-1909
Torrington Fire Department	860-489-2255
Waterbury Fire Department	203-597-3450
Watertown Fire Department	860-945-5220
CT DEEP Emergency Dispatch	860-424-3338 (24 hr)
CT Dept. of Agriculture/Shellfish	203-874-0696
CT State Emergency Response Commission	860-424-3373
National Response Center	800-424-8802

Resources Protected

Fish	No available data
Birds	No available data
Threat/End. Species	No available data
Cultural/Historical Resources	No available data
Human Use	Critical Infrastructure, Fishing Access, Park, Schools
Land Management	Developed Recreation
Riverine	No available data

Navigational Hazards

Lake and river conditions such as flow rate and flood stage vary depending on the time of year and heavy rain or snowfall.

If ice is present GRS tactics and strategies must be reevaluated.

Vessel operators should have local knowledge and experience operating in riverine environments.



Site of DV-01a at Linden Park (right) looking North.



Site of DV-01b and EX-02 at Breen Field North. River flows right to left.

Special Considerations

Survey site prior to deployment and modify deployment tactics and techniques as appropriate based on observed river conditions.