USCG LIS Bridgeport Geographic Response Strategy **Black Rock Harbor BH02A Tactics Legend** DF **Deflection Booming Diversion Booming** (\mathbf{S}) **Exclusion Booming** Free Oil Recovery **DV** 01 PR Passive Recovery SR Shoreside Recovery S Ash Creek **Staging Area** Boat Ramp Tide Gate ΤG **Protected-Water** Boom **Open-Water Boom** Snare/ Sorbent Boom **Black Rock Harbor Equipment - All Tactics** 1500 Boom(ft) Marine anchors 7 Shore anchors 3 2,000 ft 1,000 Lighthouse C Sorbent Boom(ft) 0 **FO Recovery Sys** 1 **Response Trailer and GIS Data Information** Location Shore Responders 4 CT DEEP has 6 pre-positioned oil spill response trailers, each with 1,000 ft (one with 5,000 ft) of Latitude: 41° 8' 56" 2 **Boat Responders** boom and other equipment. Contact CT DEEP Emergency Dispatch for more information. Longitude: 73° 13' 12" Boats NY DEC has pre-positioned oil spill response trailers equipped with boom, absorbent material and NOAA Chart # 12369 Version other equipment. Contact NY DEC Oil Spill Hotline for more information.

2/6/2023

Geograp	hic Response Strategy			Black Rock Harbor BH02A		
Tactic #	Purpose	Response Equipment	Deployment Resources	Deployment Notes		
SR-01	Remove spilled oil that has been diverted to a designated recovery site accessible from	1 skimming system 1 storage tank or bladder 1 hoses, pumps, fittings	2 shore responders	Set up shoreside recovery tactic at general location depicted on map. Some access points located at private residences. Access may be difficult		
~	shore	N/A Testing Date	Tested			
FO-01	Contain and recover spilled oil on the water in the offshore &			On-water recovery task force consisting of 2 or more vessels towing boom in U or J configuration, with skimming system and temporary storage for recovered oil and water. Location not exact, will move to chase oil.		
-	nearshore environment	N/A Testing Date	Tested	1		
DV-01	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	1000 ft protected water boom 5 marine anchor system 1 shoreline anchor system	4 shore responders2 response boats2 boat operators	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.		
	to a specific site for recovery.	Testing Date				
EX-02a	Prohibit oil slicks from entering a sensitive area	500 ft protected water boom 2 marine anchor system 2 shoreline anchor system	2 shore responders 1 response boats 1 boat operators	Tend through tidal changes. Deploy boom as depicted to exclude oil from sensitive areas. Anchor every 200-300'. Not tide dependent Deploy shoreside anchor first. Readjust boom angle as needed to reduce entrainment		
		Testing Date	N Tested			

Geographic Response Strategy

B	lacl	< R	loc	ĸН	ar	bor	BH	102 <i>A</i>
---	------	-----	-----	----	----	-----	----	--------------

Local co	ntacts			
Audubon Connecticut	<u>203-869-5272</u>			
Bridgeport Fire Department	<u>203-337-2070</u>			
Bridgeport Harbormaster	203-576-8288			
Bridgeport Emergency Mgmnt	<u>203-579-3822</u>			
Bridgeport Fire Department	<u>203-337-2070</u>			
Bridgeport Harbormaster	<u>203-576-8288</u>			
Bridgeport/PJ Steamboat Co.	888-44-FERRY			
Bridgeport/PJ Steamboat Co.	<u>631-473-0286</u>			
Fairfield Fire Department	203-254-4899			
Santa Energy	<u>800-937-2682</u>			
Sprague Terminal	<u>203-336-2136</u>			
Stratford Dispatch Center	<u>203-385-4100</u>			
Stratford Emergency Management	<u>203-650-9510</u>			
Stratford EM	<u>202-270-2700</u>			
Stratford Fire Department	<u>203-385-4070</u>			
Long Island Soundkeeper	<u>203-854-5330</u>			
Safety Kleen	<u>203-466-2002</u>			
CT DEEP Emergency Dispatch	<u>860-424-3338 (24 hr)</u>			
CT Dept. of Agriculture/Shellfish	203-874-0696			
CT State Emergency Response Commission	860-424-3373			
USFWS N.E. Field Office	<u>603-223-2541</u>			
USCG Sector Long Island Sound	<u>203-468-4401</u>			
National Response Center	<u>800-424-8802</u>			
Resources P	Protected			
See most current data in NOAA Environmen				
reference applicable data layer in NOAA Env				
Application (ERMA) Navigationa	l Hazards			
River conditions including flow rate and flo				
ear and heavy rain snowfall and/or tidal o				

have local knowledge and experience operating in riverine environments.



Site of DV-01 at Black Rock Harbor looking southwest



Seaside Park boat ramp looking northeast towards site of EX-02a

Special Considerations

Survey site prior to deployment and modify deployment tactics and techniques as appropriate based on observed river conditions. If ice is present GRS tactics and strategies must be reevaluated.